


DESIGNED IN 2021

ASSEMBLY NOTES | REV 00






NEED A HAND?

Contact us at **service@bludot.com** or **844.425.8368** for assistance.


@BLUDOT

We design all our pieces in our Minneapolis studio. Follow along on Instagram for some sneak peeks into the process.



INSTALL THE ADJUSTABLE GLIDES.

Prior to assembly, install the adjustable glides into the bottom of each leg by threading clockwise.






ATTACH THE SIDE RAILS.

Attach the left and right side rails to the headboard as shown.

Loosely install the provided hardware.

Tighten after this step once all six bolts are installed.



0

ATTACH THE FOOTBOARD.


Attach the footboard to the side rails as shown.

Loosely install the provided hardware.

Tighten after this step once all six bolts are installed.

0


ASSEMBLY NOTES



Step 04*

INSTALL THE CENTER LEG.

Use the provided hardware to attach the center leg as shown. *If assembling the twin size configuration,




PT. 4025 x 1


ATTACH THE CENTER RAIL TO THE BED FRAME.

Attach the center rail to the headboard and footboard by slotting each end into the preattached brackets.

Level the bed by adjusting the glides on the bottom of each leg.



INSTALLING THE SLATS.



Additional Information

CLEAN

Clean with a slightly damp, soft cloth. To remove dirt and fingerprints, use a quality cleaner formulated for use on painted metal furniture. Wipe completely dry with a soft cloth.