
# **Woodrow Bed Collection**

DESIGNED IN 2010

ASSEMBLY NOTES | REV 04






GO AHEAD AND OVERSLEEP.

Graceful lines meet gorgeous wood.


NEED A HAND?

Contact us at **service@bludot.com** or **844.425.8368** for assistance.



INSTALLING CONNECTOR BOLTS.


Attach the provided hardware as shown on headboard and footboard.






ASSEMBLE SIDE RAILS TO HEADBOARD.

Align side rails with headboard as shown. Have a second person help align parts to prevent damage.




SECURE SIDE RAILS TO HEADBOARD.

Secure side rails with headboard as shown using the hardware provided.




ASSEMBLE SIDE RAILS TO FOOTBOARD.

Align side rails with footboard as shown. Have a second person help align parts to prevent damage.



SECURE SIDE RAILS TO FOOTBOARD.

Secure side rails with footboard as shown using the hardware provided.




ASSEMBLE CENTER RAIL.

Attach the center legs to the center rail as shown using the provided hardware.

shown using the provided hardware. NOTE: This step may be skipped for Twin sized bed assembly. PT. 1685 x 2 PT. 9028 x 1

ATTACH CENTER RAIL.




Step 08 ASSEMBLE MATTRESS SLATS. Adjust levelers at the bottom of the center legs to ensure even contact with the floor. Align mattress slats with blocks on side rails as shown. NOTE: Twin sized bed will only contain one mattress slat.

SECURE MATTRESS SLATS.

Attach the mattress slats to the center rail and side rails as shown using the provided hardware.

NOTE: Twin sized bed will only require four screws to secure slats in place.





# Additional Information CLEAN Clean with a slightly damp, soft cloth. To remove dirt and fingerprints, use a quality cleaner formulated for wood furniture. Wipe completely dry with a soft cloth in the direction of the wood grain.